



**QUALITY &
INNOVATION IN
EVERY LOCK.**



CONTENTS

Qi-400	4 Digit Mechanical Combination Lock
Qi-400R	Round RFID Lock (easily retrofitted)
Qi-400K	Round Keypad Lock (easily retrofitted)
Qi-400F	Round Biometric Lock (easily retrofitted)
Qi-EK001	Electronic Keypad Lock with master key override
Qi-EK002	Electronic Keypad Lock with master key override
Qi-EKR001	Electronic Keypad Lock with RFID reader and master key override
Qi-EKR002	Electronic Keypad Lock with RFID reader and master key override
Qi-EKF001	Electronic Keypad Lock with Biometric reader and master key override
Qi-EKF002	Electronic Keypad Lock with Biometric reader and master key override
Qi-EKM001	Mini Keypad Lock
Qi-R001	Mini RFID Lock
Qi-F001	Mini Biometric Lock
ST-001	Electronic Keypad Lock with Slam Shut

Qi-400


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Matt Chrome Plating

Suitable door thickness: 0.6 - 25 mm


- A robust, heavy duty mechanical lock with a master key override and code reset function
- 10,000 possible codes to ensure a high level of security
- Tough zinc alloy body for maximum strength and durability
- Available in private or public mode (specify at point of order)
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Various cams available
- Easily retrofitted to existing lockers
- Available in both black and white



Installation



Optional accessories



Qi-400R



Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Matt Chrome Plating

Suitable door thickness: 0.6 - 25 mm


- A robust, heavy duty RFID lock with a master card override and emergency power slot
- 4 levels of card authorisation available
- Tough zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong card input
- Long battery life with low power alerts
- Can be set to private or public mode with occupancy indicator
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Versatile mounting options and accessories to suit any application with various cams available
- Easily retrofitted to existing lockers
- Available in both black and white




Fixing Hole Size




Installation




Optional accessories



Locking pin



Connector



Cam

Qi-400K



Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS

Finish: Matt Chrome Plating

Suitable door thickness: 0.6 - 25 mm


- A robust, heavy duty electronic keypad lock with a master code override and emergency power slot
- Tough zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power alerts
- Can be set to private or public mode with occupancy indicator
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Versatile mounting options and accessories to suit any application with various cams available
- Easily retrofitted to existing lockers
- Available in both black and white




Fixing Hole Size




Installation




Optional accessories



Locking pin



Connector



Cam

Qi-400F



Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS

Finish: Matt Chrome Plating

Suitable door thickness: 0.6 - 25 mm


- A robust, heavy duty Biometric (fingerprint) lock
- Management fingerprint can be saved for override. Emergency power slot
- Tough zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong user input
- Long battery life with low power alerts
- Can be set to private or public mode with occupancy indicator
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Versatile mounting options and accessories to suit any application with various cams available
- Easily retrofitted to existing lockers
- Available in both black and white




Fixing Hole Size




Installation




Optional accessories



Locking pin



Connector



Cam

Qi-EK001


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted iron grey

Suitable door thickness: 0.6 - 20 mm


- A robust, heavy duty Electronic Keypad lock with a concealed master key + master code override and emergency power slot
- Tough reinforced zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available



Installation



Optional accessories



Qi-EK002


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted iron grey

Suitable door thickness: 0.6 - 20 mm


- A robust, heavy duty Electronic Keypad lock with a concealed master key + master code override and emergency power slot
- Smooth touchpad design
- Tough reinforced zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available



Installation



Optional accessories



Qi-EKR001


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted iron grey

Suitable door thickness: 0.6 - 20 mm


- A robust, heavy duty Electronic Keypad lock with a concealed master key + master code override and emergency power slot
- Can also be operated by an RFID card with 4 levels of card authorisation available
- Tough reinforced zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available



Installation



Optional accessories



Qi-EKRO02


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted iron grey

Suitable door thickness: 0.6 - 20 mm


- A robust, heavy duty Electronic Keypad lock with a concealed master key + master code override and emergency power slot
- Can also be operated by an RFID card with 4 levels of card authorisation available
- Tough reinforced zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available




Installation




Optional accessories



Locking pin



Connector



Cam

Qi-EKF001


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted iron grey

Suitable door thickness: 0.6 - 20 mm


- A robust, heavy duty Electronic Keypad lock with a concealed master key + master code override and emergency power slot
- Can also be operated by finger print by both management and users
- Tough reinforced zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available



Installation



Optional accessories



Locking pin

Connector

Cam

Master key

Qi-EKF002


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted iron grey

Suitable door thickness: 0.6 - 20 mm


- A robust, heavy duty Electronic Keypad lock with a concealed master key + master code override and emergency power slot
- Can also be operated by finger print by both management and users
- Tough reinforced zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available



Installation



Optional accessories



Qi-EKM001


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted black

Suitable door thickness: 0.6 - 20 mm


- A compact version of our heavy duty Electronic Keypad lock with a master code override and emergency power slot
- Smooth touch pad design
- Tough zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Versatile mounting options and accessories to suit any application with various cams available
- Available in both black and white
- Vertical and horizontal options available



Installation



Optional accessories



Qi-R001


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted black

Suitable door thickness: 0.6 - 20 mm


- A compact version of our heavy duty RFID lock with a master card override and emergency power slot
- 4 levels of card authorisation available
- Tough zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong card input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Versatile mounting options and accessories to suit any application with various cams available
- Available in both black and white
- Vertical and horizontal options available



Installation



Optional accessories



Qi-F001


Suitable for metal, wooden or laminate doors

Material: Zinc Alloy, ABS


Finish: Electroplated brushed nickel, painted black

Suitable door thickness: 0.6 - 20 mm


- A compact version of our heavy duty Biometric (fingerprint) lock
- Management fingerprint can be saved for override. Emergency power slot
- Tough zinc alloy body for maximum strength and durability
- Fitted with an alarm to warn of tampering or wrong user input
- Long battery life with low power warning system
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Versatile mounting options and accessories to suit any application with various cams available
- Available in both black and white
- Vertical and horizontal options available



Installation



Optional accessories



ST-001

Electronic Keypad Lock with slam shut latch

Material: Zinc Alloy, ABS

Finish: Electroplated brushed nickel, painted black

Suitable door thickness: 0.6 - 20 mm



- A robust, heavy duty Electronic Keypad lock with a master code override and emergency power slot
- Fibre glass reinforced plastic for strength
- Fitted with an alarm to warn of tampering or wrong code input
- Long battery life with low power warning system, tested to over 100k uses per battery set (4 x AA)
- Power safe memory that retains all settings during battery changes to avoid any data loss
- Can be set to private or public mode with occupancy indicator
- State of the art anti-theft technology with fake code option that can be used for privacy (correct code is contained within a longer fake code)
- Dual-level security with separate management and user access codes
- Versatile mounting options and accessories to suit any application with various cams available
- Available with a threaded barrel with a cam or a slam shut box (specify at point of order)
- Vertical and horizontal options available
- ADA / DDA compliant version available

QUALITY & INNOVATION IN EVERY LOCK.

020 7101 4927 | sales@nationwide-lockers.co.uk

Riverbank House, 1 Putney Bridge Approach, London, SW6 3JD